

casa
FULLBODY TILES

Sartanpar Road, Opposite 166 Kva Substation,
Morbi - 363 621, Gujarat, India


casa@fullbodytiles.com
fullbodytiles.com

sfumato india pvt. ltd.



600 x 1200 mm

casa
FULLBODY TILES



TRAVERTINE
COLLECTION

TRAVERTINE
COLLECTION





ENRICHED WITH
NATURE'S HARMONY

SAILING THROUGH
THE WAVE OF
NATURAL STONE.

SHAPED FOR NEXT LEVEL FACADE

The Travertine Facade Tiles bring the timeless charm of natural stone to modern architecture. Inspired by classic Italian travertine, this series adds depth, texture, and a soothing visual rhythm to exterior walls. Every pattern feels organic and elegant.

Durable and weather resistant, these facade tiles stand strong against heat, moisture and environmental wear. They offer easy maintenance and long term performance, making them a smart choice for residential and commercial spaces.

The collection presents multiple shades ranging from soft beige and warm cream to richer tan and earthy brown. This shade variation allows designers to create balanced facades that feel both luxurious and welcoming. The surface textures enhance light play and shadow detail, elevating the building profile.

- fullbodytiles.com

TRAVERTINE **IRIS**

A soft beige travertine tile featuring natural pores and subtle stone veins, offering an elegant warm tone with gentle texture that suits facades, interiors, and refined architectural spaces, beautiful designs.




TRAVERTINE **PEARL**

A light creamy travertine tile with soft pores and gentle mineral patches, offering a bright natural look that enhances facades and interiors with serene elegance, subtle texture, and timeless architectural appeal.



TRAVERTINE **TUSCAN**


A warm sandy travertine tile with soft beige tones, gentle pores, and subtle flowing veins, offering a natural Tuscan stone character ideal for rustic facades, serene interiors, and timeless architecture.




Enduring

Surface with high thickness that last in every condition


↓
12mm THICKNESS
↑



The surface carries gentle pores and subtle stone movement, giving every facade a warm organic feel that connects architecture with nature beautifully.



UV stable shades retain their richness for years, resisting harsh sunlight and weather conditions while keeping exterior spaces visually fresh and premium.



Its refined texture adds depth and interest, reduces visible dust marks, and enhances shadow play, creating a sophisticated and timeless exterior appearance.

Architecture at its finest

Truly showcase the projects
in the best possible way



A D V A N T A G E S



**Impact
Resistance**



**Chemical and
stain Resistance**



**High Temperatures
Resistance**



**Hygienic
Surface**



**Fire
Resistance**



**Frost
Resistance**



**Low Water
Absorption**



**Dimensional
Stability**



Easy to clean

A P P L I C A T I O N



Residential



**Commercial
Building**



**Hotel, Café &
Restaurant**



Hospital



Airport



Gymnasium



600x
1200mm **12mm**
Thickness

TRAVERTINE
COLLECTION

CLICK FOR
360° VIEW



TRAVERTINE IRIS

Random ∞



Impact
Resistance



Fire
Resistance



Frost
Resistance



Low Water
Absorption

TRAVERTINE


COLLECTION

Travertine Iris /01



Rich natural shades with elegant textures create timeless exterior design.







600x
1200mm

12mm
Thickness

TRAVERTINE
COLLECTION

CLICK FOR
360° VIEW



TRAVERTINE **PEARL**

Random ∞



Impact
Resistance



Fire
Resistance



Frost
Resistance



Low Water
Absorption

TRAVERTINE COLLECTION

Travertine Pearl /02



Warm natural shades elevate facades with elegant and timeless design







600x
1200mm

12mm
Thickness

TRAVERTINE
COLLECTION

CLICK FOR
360° VIEW



TRAVERTINE **TUSCAN**

Random ∞



Impact
Resistance



Fire
Resistance



Frost
Resistance



Low Water
Absorption

TRAVERTINE

COLLECTION

Travertine Tuscan /03



Rich earthy tones create
stunning exterior style
with refined detail





Technical Specification

| TECHNICAL DETAILS | STANDARD AS PER ISO-13006/EN176 GROUP BIa | MEAN VALUE OF FULL BODY VITRIFIED TILES | METHOD OF TEST |
|---|---|---|----------------|
| Deviation In Length & Width | ± 0.60% | ± 0.10% | ISO-10545-2 |
| Deviation In Thickness | ± 5.00% | ± 2.00% | ISO-10545-2 |
| Straightness Of Sides | ± 0.50% | ± 0.10% | ISO-10545-2 |
| Rectangularity | ± 0.60% | ± 0.10% | ISO-10545-2 |
| Surface Flatness | ± 0.50% | ± 0.10% | ISO-10545-2 |
| Glossiness | Gloss Meter | 5-6 | Gloss Meter |
| Water Absorption | ≤ 0.50% | E ≤ 0.05% | ISO-10545-3 |
| Breaking Strength | 1300 N | 3000 N | ISO-10545-4 |
| Abrasion Resistance | Max. 175mm | Max. 145mm | ISO-10545-6 |
| Mohs Hardness | Min. 6 | ≥ 6* | EN101 |
| Frost Resistance | Frost Proof | Frost Proof | ISO-10545-12 |
| Thermal Shock | No Damage | No Damage | ISO-10545-9 |
| Moisture Expansion | Nil | Nil | ISO-10545-10 |
| Thermal Expansion | < 9 x 10 | < 6 x 10 | ISO-10545-8 |
| Resistance of Household Chemicals | No Damage | Damage* | ISO-10545-13 |
| Stain Resistance | Resistance | No Resistance* | ISO-10545-14 |
| Slip Resistance (Friction Co Efficient) | > 0.40 | > 0.40 | ISO-10545-17 |

Packing Details

| Collection | Size | Pieces / Box | Weight / Box (approx.) | Coverage Area / Box |
|------------|------------|--------------|------------------------|---|
| Travertine | 600x1200mm | 2 Pieces | 36.00kg | 15.5 ft ² or 1.44 mtr ² |

Disclaimer:

We reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this tile kit at anytime. The colours of tiles shown in this tile kit are purely illustrative to printing process. Please refer actual sample before final selection. The details of sizes, colours and references should be verified for typographical errors.

TRAVERTINE
COLLECTION