

# CASAYARD

EXQUISITE PUNCH, INSPIRED BY NATURE



**casa**  
FULLBODY TILES

# TABLE OF CONTENTS

.....

Casayard Collection	03
Protect Surface	04
Hybrid+ Technology	05
Application	06
Technical Benefit	06
Cube Punch Series	07
Rock Punch Series	19
Blast Punch Series	33
Technical Detail	49
Technical Specification	55
Installation Video	56
Casa All Collection	57

## INSPIRED BY NATURE

*"The rain dare not slow your steps  
The harsh sun fears to steal the colors you love*

*The germ-free space is a safe haven for children and old  
And no force of nature can harm its texture*

*Nor can any alga mar its beauty  
No amount of pressure can break its strength*

*With the tiles of Casa Yard Collection for your outdoor spaces  
You can rest your feet and revel in the natural surfaces*

*With nature unfolding its majestic splendor  
Creating an ambiance of Rock tones lovely and tender"*

"CASAYARD"



Introduction of  
**CASAYARD COLLECTION**

**4**  
Texture  
Punches

BOOST PUNCH LINER PUNCH

BRICK PUNCH SLATE PUNCH  
600x1200mm

**3**  
Texture  
Punches

ROCK PUNCH

BLAST PUNCH


CUBE PUNCH  
600x600mm

**2**  
Surfaces

LAPPATO SURFACE

PROTECT SURFACE

**2**  
Sizes



600x1200mm, 600x600mm

The Casayard Collection is a phenomenal amalgamation of attractive surfaces that translates the beauty of the elements of nature into its full glory through mesmerizing shades, surfaces, and textures. This collection is curated to express the unparalleled architectural vision by allowing design freedom through its contemporary and classy charm.





# Protect

ANTIBATTERICO - ANTIMICROBIAL


S U R F A C E

## TAKING CARE MADE EASY

We are always concerned about our children's and grandparents getting injured from slipping on wet and alga-ridden floors. At Casa, we have created a special kind of matt finish that has anti-slip and anti-alga properties, which will protect your child and grandparents from slipping on wet areas! We are delighted to introduce the 'Protect' surface, developed primarily to save senior citizens and children from falling and getting injured due to wet floors and alga build-ups.



Along with the materials like water, oil, grease, etc. we have also taken care of the elements created by the environmental conditions, like alga, which makes the surface slippery. 'Protect' surface stops the formation and development of the alga and makes it an anti-alga surface. These qualities of the 'Protect' surface make it an anti-skid in the true sense.



## PROTECT SURFACE


To minimise the roughness created by the veins, we apply the unique micro-protect particles that cover the deep valleys creating the smoothest anti-skid surface without affecting the veins.



## APPLYING THE MICRO PROTECT PARTICLES

PUNCH PATTERN

FULL BODY TILES



## TRADITIONAL ANTI-SKID SURFACE

When we observe the regular anti-skid surface under a microscope, we notice higher veins that create valleys making the surface rough, unpleasant to touch, and difficult to clean and maintain.




Low  
Maintenance

## Hybrid+ Technology

### TOWARDS A BETTER YOU

While our control over the happenings in the world outside is quite limited, we must surely take responsibility of safety within our own happy place. Today, one's safety, health and wellness are amongst the greatest concerns globally, and this has given us an opportunity to innovate, and to come up with unique solutions that either eliminate the challenges we face each day.













Utilizing our latest production systems, we introduce you to a technology that removes uncertainties or doubts involving safety within your home - 'Hybrid Technology'. The technology helps the product surface repel any liquid and does not allow unwanted or harmful living organisms to stay or grow. This water repellent and anti- bacterial surface created with 'hybrid+' requires the lowest maintenance.

With the tiles of the 'Casayard Collection' at your home, you won't be worrying about your toddler getting a bacterial infection or your grandparents slipping on the wet floors as the surfaces of 'Casayard' are anti -bacterial and anti-skid.

## [ Application Approach Area ]



## SURFACE FOR EVERY AREA

- |                                                                                                   |                                                                                                   |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
|  RESIDENTIAL   |  SHOPS         |
|  GARDEN & POOL |  MALLS         |
|  HOTELS        |  PUBLIC SPACES |
|  OFFICE        |  AIRPORTS      |
|  RESTAURANT    |  TRAIN STATION |

## [ Technical Plus Factors ]

01 Impact Resistant



02 Scratch Resistant



03 Liquid Repellent



04 Frost & Fire Resistance



05 Stain Resistance



06 UV Resistance



07 Anti Alga



08 Anti-Slip




The most important requirement in these modern times is the urgent need for hygiene. These tiles from Casayard collection are easy to clean, providing you a germ-free surface. It is also resistant to water, heat, fire, chemical, impact and much more making it the ideal choice for any space.



“CASAYARD”  
Present

# CUBE PUNCH

The motive behind the magnificent Cube Punch series is derived from Rubik’s cube used as a cube solver. Crafted with uniform dimensions on all sides and comes in varied shades. This collection imbibes five unique colors on two surfaces in the size 600x600mm.



**Protect**  
ANTIBATTERICO - ANTIMICROBIAL  
SURFACE

HOUSE OF FULL BODY  
VITRIFIED TILES

5  
Colours

2  
Surface

1  
Texture

1  
Size

600x  
600mm


INDEX

CUBE

ROCK

BLAST

TECH. DATA





INDEX

CUBE

ROCK

BLAST

TECH. DATA

**Cube Metallo** | Size:  
600x  
600mm



CASAYARD COLLECTION - CUBE PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Cube Metallo

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

[CLICK HERE](#) 

For  
**360°**  
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

**Cube Grigio** | Size:  
600x  
600mm



CASAYARD COLLECTION - CUBE PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Cube Grigio

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA

**Cube Cremoso** | Size:  
600x  
600mm



CASAYARD COLLECTION - CUBE PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Cube Cremoso

Category

**Basic**

Surface

**Protect**

Thickness

**9mm** approx\*

CLICK HERE 

For  
**360°**  
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

**Cube Coal** | Size:  
600x  
600mm



CASAYARD COLLECTION - CUBE PUNCH


HOUSE OF FULL BODY  
VITRIFIED TILES

# Cube Coal

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

[CLICK HERE](#) 

For  
**360°**  
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

**Cube Kota** | Size :  
600x  
600mm



CASAYARD COLLECTION - CUBE PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Cube Kota

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

[CLICK HERE](#) 

For  
**360°**  
VISUAL





"CASAYARD"  
Present

# ROCK PUNCH

The Rock Punch seeks inspiration from the serene ambience and beautiful hues found in a garden. Inspired by the pebbled walkway and varied shades of rocks, this collection offers Six Colors in single surfaces




**Protect**  
ANTIBATTERICO - ANTIMICROBIAL  
SURFACE

HOUSE OF FULL BODY  
VITRIFIED TILES

6 | 1 | 1 | 1  
Colours | Surface | Texture | Size

600x  
600mm



Rock Kota



Rock Metallo




Rock Gesso




Rock Grigio



Rock Coal



Rock Cremoso



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**ROCK**  
PUNCH

**Rock Kota** | Size:  
600x  
600mm



**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Kota

Category

**Basic**

Surface

**Protect**

Thickness

**9mm** approx\*

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA

**ROCK**  
PUNCH

**Rock Grigio** | Size:  
600x  
600mm





**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Grigio

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm


INDEX

CUBE

ROCK

BLAST

TECH. DATA



**ROCK**  
PUNCH

**Rock Gesso** | Size:  
600x  
600mm



**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Gesso

Category

**Super Plus**

Surface

**Protect**

Thickness

**9mm** approx\*

[CLICK HERE](#) 

For  
**(360°)**  
VISUAL



**600x  
600mm**

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**ROCK**  
PUNCH

**Rock Metallo** | Size:  
600x  
600mm



**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Metallo

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**Protect**  
ANTIBATTERICO - ANTIMICROBIAL  
SURFACE

**ROCK**  
PUNCH

**Rock Coal** | Size:  
600x  
600mm



**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Coal

Category

**Super Plus**

Surface

**Protect**

Thickness

**9mm** approx\*

**CLICK HERE** 

For  
**360°**  
VISUAL



INDEX

CUBE

ROCK

BLAST

TECH. DATA

INDEX

CUBE

ROCK

BLAST

TECH. DATA



**ROCK**  
PUNCH

**Rock Cremoso** | Size:  
600x  
600mm



**ROCK**  
PUNCH

CASAYARD COLLECTION - ROCK PUNCH


HOUSE OF FULL BODY  
VITRIFIED TILES

# Rock Cremoso

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm



"CASAYARD"  
Present

# BLAST PUNCH

The many colours of desert emote beauty in their own unique ways through their appearance which is incorporated into the surfaces of the Blast Punch Collection. These incredible surfaces express the nuances of desert through their eight shades, in single textures and sizes of 600x600mm.



**Protect**  
ANTIBATTERICO - ANTIMICROBIAL  
SURFACE

HOUSE OF FULL BODY  
VITRIFIED TILES

7 Colours | 2 Surface | 1 Texture | 1 Size

600x  
600mm





INDEX

CUBE

ROCK

BLAST

TECH. DATA

**BLAST**  
PUNCH

**Blast Sahara** | Size:  
600x  
600mm

Protect  
ANTIBATTERICO - ANTI-MICROBIAL  
SURFACE



**BLAST**  
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Sahara

Category

**Basic**

Surface

**Protect**

Thickness

**9mm** approx\*

CLICK HERE 

For  
**360°**

VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**Protect**  
ANTIBATTERICO - ANTIMICROBIAL  
SURFACE

**BLAST**  
PUNCH

**Blast Beige** | Size:  
600x  
600mm



CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Beige

Category

**Basic**

Surface

**Protect**

Thickness

**9mm** approx\*

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA

**BLAST**  
PUNCH

**Blast Granite** | Size:  
600x  
600mm





**BLAST**  
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Granite

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**BLAST**  
PUNCH

**Blast Coal** | Size:  
600x  
600mm



CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Coal

Category

**Super Plus**

Surface

**Protect**

Thickness

**9mm** approx\*

[CLICK HERE](#)



For  
**360°**  
VISUAL



600x  
600mm

**BLAST**



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**BLAST**  
PUNCH

**Blast Cemento** | Size:  
600x  
600mm



**BLAST**  
PUNCH

CASAYARD COLLECTION - BLAST PUNCH


HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Cemento

Category	Surface	Thickness
<b>Basic</b>	<b>Protect</b>	<b>9mm</b> <small>approx*</small>

CLICK HERE 

For  
**360°**  
VISUAL



INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



**BLAST**  
PUNCH

**Blast Tobacco** | Size:  
600x  
600mm



**BLAST**  
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

# Blast Tobacco


Category  
**Plus**

Surface  
**Protect**

Thickness  
**9mm** approx\*

[CLICK HERE](#) 

For  
**(360°)**  
VISUAL



600x  
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA

**BLAST**  
PUNCH

**Blast Bronze** | Size:  
600x  
600mm





**BLAST**  
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY  
VITRIFIED TILES

## Blast Bronze

Category

**Super Plus**

Surface

**Protect**

Thickness

**9mm** approx\*

[CLICK HERE](#) 

For  
**360°**  
VISUAL




INDEX

CUBE

ROCK

BLAST

TECH. DATA



- Certification**
- Focus on Quality**
- Sustainable Model**
- The Right Choice**
- Technical Specification**
- Tile Cleaning**
- Installation System**
- Casa All Collection**

## OUR NAME STANDS FOR TECHNICAL AND AESTHETIC EXCELLENCE.



Around the world, we proudly promote materials that best express that Made in India aesthetic, style and technical excellence.

On the international market, our name is synonymous with Full body tiles technical porcelain stoneware that offers extremely high technical and aesthetic performance. We transform top quality raw materials into ceramic projects able to interpret the many requirements of a continuously evolving world.



Tiles of India is the certified brand of origin which exclusively marks all products fully manufactured in India representing the decades old value system of the Indian Ceramic Industry. We support all those values promoted by the Indian Ceramics code of ethics, from **100% Indian production to social and environmental responsibility.**



**100% ISO 9001: 2015 certification** is internationally recognised and represents a guarantee of the excellence and quality of the management system. CASA TILES decided of its own accord to undertake this important process, adopting a set of rules, responsibilities and checks to improve the efficiency of processes and customer satisfaction, to boost its competitiveness and maintain compliance with the highest quality standards.



### SAFETY SYSTEM MANAGEMENT

The health and wellbeing of employees are crucial priorities for CASA TILES. The attainment of ISO 45001 certification strengthens a business culture that sees safety not simply as a question of regulatory compliance, but as an essential part of working processes. Regulation is a necessary tool for generating a new model of sustainable competitiveness that can improve company performance across the board.

## ECO-SUSTAINABLE DEVELOPMENT



### ENVIRONMENTAL MANAGEMENT

CASA TILES conforms with the environmental regulations envisaged by the ISO 14001 certification. This certification measures and controls the reduced environmental impact of production sites, through an environmental management system based on strict parameters.

### CASA TILES CONTRIBUTES TOWARDS ENERGY EFFICIENCY THROUGH:

- 100% recycling of waters used
- 100% recycling of unfired and fired waste
- 100% recycling of packaging and pallets
- 60% recycling of waste.

### LOW ATMOSPHERIC GAS EMISSIONS

- 100% Water Consumption Savings
- 100% Recycling of Unfired Waste
- 100% Recycling of Fired Waste
- 100% Recycled Packaging
- 70% Recycling of Industrial Waste
- Noise Pollution Monitoring
- 100% Recycled Pallets



LOW ATMOSPHERIC GAS EMISSIONS



100% WATER CONSUMPTION SAVINGS



100% RECYCLING OF UNFIRED WASTE



100% RECYCLING FIRED WASTE



100% RECYCLED PACKAGING



90% RECYCLING OF INDUSTRIAL WASTE



NOISE POLLUTION MONITORING



100% RECYCLED PALLETS



IMC is a voluntary certification system, for the design, construction and management of high performance sustainable buildings; it promotes an integrated design system that concerns the whole building. It is developed by the U.S. INTERNATIONAL MANAGEMENT COUNCIL (USIMC), an association which provides a global approach to sustainability, providing recognition for virtuous performance levels in key areas of human and environmental health. The system is based on rating credits for each of the requisites featuring the sustainability of the building. The sum of the credits composes the certification level achieved.

# Casa Focus on quality

## Quality assurance procedures

Superior physical and chemical characteristics – together with beautiful aesthetics – are the distinguishing feature of Casabella Collection as of Casa Tiles.

To achieve the highest quality standards Casa exploits decades of experience in ceramic clay and minerals to devotes significant resources to continuous improvement.

Casa plant in India is designed by an Italian executive and an Indian company – exploits the latest Italian machinery to manufacture high-quality tiles.

The plant has a semi-high degree of automation, as required to consistently achieve the high levels of quality demanded by sophisticated customers in India and internationally.

According to the best practice, quality standards refer to the norms included in ISO and all tests are carried out by renowned laboratories in India, accredited according to international norms.

At Casa plant, we run tests on all raw materials, semi-finished goods and end products through the whole production process under coordination of the Quality Assurance Department.

To get the best possible result, the company has devised an integrated set of rules, named Casa - **Tiles Reinforcement System** for quality assurance procedures (TRS), to control all aspects of tiles manufacturing, that determine the physical and chemical characteristics of products.

TRS include measurement processes, benchmark values and operating procedures for:

- **Chemical characteristics of raw materials**, asking for every single shipment is tested before the raw material enters into production process.
- **Intrinsic physical properties of tiles**, such as caliber and dimensions, orthogonality, planarity, water absorption and breaking strength.
- **Usage-related properties of products**, such as resistance to scratch and abrasion, thermal shock resistance, resistance to acid, stains, household chemicals and slippery.



Chemical characteristics of raw materials




Intrinsic physical properties of tiles



Usage-related properties of products

# OUR SUSTAINABILITY MODEL





100% Natural Gas



Maximum Recycling of



Maximum Use of Natural



## OUR "GREEN EFFORT"

Using only recycled paper and reduction of inks used to help our mother nature. It might be small, but it's the little effort that counts.

# Full Body Tiles – the right choice



## Ease of Installation

### Simple to cut and drill

The particular composition of the mass facilitates cutting, drilling and bevelling operations.

### Quick to install

Lightness and ease of cutting, drilling and bevelling reduce installation times and costs.



## Hygiene

### Hygienic

They're hygienic and prevent the proliferation of mold and bacteria.

### Easy to clean

Full body tiles can be cleaned with just warm water or mild detergent.

### Stain resistant

Full body tiles do not retain dirt or stain.

### Resistant to chemical agents and detergents

Full body tiles resist the most aggressive detergents.

# Full Body Tiles – the right choice



## Practicality

### Waterproof

The surface of full body tiles is waterproof.

### Don't change when exposed to light

Full body tiles don't fade or change color when exposed to light.

### Long

Resistance, ease of cleaning and permanent colors means that there's practically no limit to the tiles' durability.



## Health And Safety

### Prevent bacteria growth

Full body tiles don't foster the growth of molds or bacteria.

### Don't release toxic substance

No release of allergens, VOCs or other harmful substances into the environment.

### Zero

Full body tiles contain no PVC, plastics, or petroleum derivatives.

### Safe

Non-flammable, don't release harmful substances, unalterable over time.

### Non-deformable Fireproof

Even when exposed to light, Full body tiles are humidity, and heat they maintain non-flammable and do not burn. Their original appearance and flatness over time.

## TECHNICAL SPECIFICATION

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP B1a	MEAN VALUE OF CASA FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	< 0.50%	E < 0.05%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm <sup>3</sup>	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Moisture Expansion	No Damage	No Damage	ISO-10545-9
Thermal Expansion	Nil	Nil	ISO-10545-10
Resistance of House Hold Chemical	< 9 x 10 <sup>-6</sup>	< 6 x 10 <sup>-6</sup>	ISO-10545-8
Stain Resistance	No Damage	No Damage*	ISO-10545-13
Slip Resistance (Friction Co Efficient)	Resistance	Resistance*	ISO-10545-14
	> 0.40	> 0.40	ISO-10545-17

## PACKING DETAILS

Casayard	Size	Pieces / Box	Weight/Box (approx)	Coverage Area / Box
Cube Punch	600x600mm	4 Pieces	28.00kg	15.5 ft <sup>2</sup> or 1.44 mtr <sup>2</sup>
Rock Punch	600x600mm	4 Pieces	28.00kg	15.5 ft <sup>2</sup> or 1.44 mtr <sup>2</sup>
Blast Punch	600x600mm	4 Pieces	28.00kg	15.5 ft <sup>2</sup> or 1.44 mtr <sup>2</sup>

## Disclaimer

Casa reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colours of tiles shown in this catalogue are purely illustrative to printing process. Please refer actual sample before final selection. The details of sizes, colours and

## CLEANING & MAINTENANCE

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For

For more details,  
check our tutorial videos  
on the website and  
on YouTube.




CASAYARD COLLECTION

LAYING ON SCREED




LAYING ON GRASS



LAYING ON GRAVEL



LAYING ON SAND



INDEX

CUBE

ROCK

BLAST

TECH. DATA

**A PREMIUM COLLECTION**

**Casastone**  
BOLD SURFACES

  
**CASA  
DESERT**  
FULL BODY TILES

**CASAYARD**  
EXQUISITE PUNCH, INSPIRED BY NATURE

**CASADECK**  
*Heavy Duty Tiles*

**CASA  
POLO**  
FULLBODY TILES

**CASA STEP**  
READY TO INSTALL FULLBODY STEPS

**CasaArt**  
— FULLBODY TILE MOSAIC —

**CLICK COLLECTION TO OPEN PRODUCT PDF**



Casagres Tiles India

Sartanpar Road,  
Opposite 166 Kva Substation,  
Morbi – 363 621, Gujarat, India

[casa@fullbodytiles.com](mailto:casa@fullbodytiles.com)  
[fullbodytiles.com](http://fullbodytiles.com)

Copyright 2023 By Casagres Tiles India  
(designed By: Sipl) June 2023