

CASAYARD

EXQUISITE PUNCH, INSPIRED BY NATURE

casa
FULLBODY TILES

TABLE OF CONTENTS

.....

Casayard Collection	03
Protect Surface	04
Hybrid+ Technology	05
Application	06
Technical Benefit	06
Cube Punch Series	07
Rock Punch Series	19
Blast Punch Series	33
Technical Detail	49
Technical Specification	55
Installation Video	56
Casa All Collection	57

INSPIRED BY NATURE

*“The rain dare not slow your steps
The harsh sun fears to steal the colors you love*

*The germ-free space is a safe haven for children and old
And no force of nature can harm its texture*

*Nor can any alga mar its beauty
No amount of pressure can break its strength*

*With the tiles of Casa Yard Collection for your outdoor spaces
You can rest your feet and revel in the natural surfaces*

*With nature unfolding its majestic splendor
Creating an ambiance of Rock tones lovely and tender”*

“CASAYARD”



Introduction of
CASAYARD COLLECTION

4
Texture
Punches

BOOST
PUNCH LINER
PUNCH

BRICK
PUNCH SLATE
PUNCH
600x1200mm

3
Texture
Punches

ROCK
PUNCH

BLAST
PUNCH


CUBE
PUNCH
600x600mm

2
Surfaces

LAPPATO
SURFACE

PROTECT
SURFACE

2
Sizes



600x1200mm, 600x600mm

The Casayard Collection is a phenomenal amalgamation of attractive surfaces that translates the beauty of the elements of nature into its full glory through mesmerizing shades, surfaces, and textures. This collection is curated to express the unparalleled architectural vision by allowing design freedom through its contemporary and classy charm.



ROCK
PUNCH

BLAST
PUNCH

CUBE
PUNCH

INDEX

CUBE

ROCK

BLAST

TECH. DATA




TAKING CARE MADE EASY

We are always concerned about our children's and grandparents getting injured from slipping on wet and alga-ridden floors. At Casa, we have created a special kind of matt finish that has anti-slip and anti-alga properties, which will protect your child and grandparents from slipping on wet areas! We are delighted to introduce the 'Protect' surface, developed primarily to save senior citizens and children from falling and getting injured due to wet floors and alga build-ups.




Along with the materials like water, oil, grease, etc. we have also taken care of the elements created by the environmental conditions, like alga, which makes the surface slippery. 'Protect' surface stops the formation and development of the alga and makes it an anti-alga surface. These qualities of the 'Protect' surface make it an anti-skid in the true sense.



PROTECT SURFACE

To minimise the roughness created by the veins, we apply the unique micro-protect particles that cover the deep valleys creating the smoothest anti-skid surface without affecting the veins.



TRADITIONAL ANTI-SKID SURFACE

When we observe the regular anti-skid surface under a microscope, we notice higher veins that create valleys making the surface rough, unpleasant to touch, and difficult to clean and maintain.




Low
Maintanance

Hybrid+ Technology

TOWARDS A BETTER YOU


While our control over the happenings in the world outside is quite limited, we must surely take responsibility of safety within our own happy place. Today, one's safety, health and wellness are amongst the greatest concerns globally, and this has given us an opportunity to innovate, and to come up with unique solutions that either eliminate the challenges we face each day.



Utilizing our latest production systems, we introduce you to a technology that removes uncertainties or doubts involving safety within your home - 'Hybrid Technology'. The technology helps the product surface repel any liquid and does not allow unwanted or harmful living organisms to stay or grow. This water repellent and anti- bacterial surface created with 'hybrid+' requires the lowest maintenance.

With the tiles of the 'Casayard Collection' at your home, you won't be worrying about your toddler getting a bacterial infection or your grandparents slipping on the wet floors as the surfaces of 'Casayard' are anti -bacterial and anti-skid.

[Application Approach Area]



SURFACE FOR
EVERY AREA

-  RESIDENTIAL
-  SHOPS
-  GARDEN & POOL
-  MALLS
-  HOTELS
-  PUBLIC SPACES
-  OFFICE
-  AIRPORTS
-  RESTAURANT
-  TRAIN STATION

[Technical Plus Factors]

01	Impact Resistant	
02	Scratch Resistant	
03	Liquid Repellent	
04	Frost & Fire Resistance	
05	Stain Resistance	
06	UV Resistance	
07	Anti Alga	
08	Anti-Slip	


The most important requirement in these modern times is the urgent need for hygiene. These tiles from Casayard collection are easy to clean, providing you a germ-free surface. It is also resistant to water, heat, fire, chemical, impact and much more making it the ideal choice for any space.



“CASAYARD”
Present

CUBE PUNCH

The motive behind the magnificent Cube Punch series is derived from Rubik’s cube used as a cube solver. Crafted with uniform dimensions on all sides and comes in varied shades. This collection imbibes five unique colors on two surfaces in the size 600x600mm.




Protect
ANTIBATTERICO - ANTIMICROBIAL
S U R F A C E

HOUSE OF FULL BODY
VITRIFIED TILES


5 Colours | 2 Surface | 1 Texture | 1 Size

600x
600mm


INDEX	CUBE	ROCK	BLAST	TECH. DATA
-------	------	------	-------	------------




Cube Metallo




Cube Grigio



Cube Cremoso



Cube Coal



Cube Kota

INDEX	CUBE	ROCK	BLAST	TECH. DATA
-------	------	------	-------	------------



INDEX

CUBE

ROCK

BLAST

TECH. DATA

Cube Metallo | Size :
600x
600mm



CASAYARD COLLECTION - CUBE PUNCH


HOUSE OF FULL BODY
VITRIFIED TILES

Cube Metallo

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

Cube Grigio | Size :
600x
600mm



CASAYARD COLLECTION - CUBE PUNCH


HOUSE OF FULL BODY
VITRIFIED TILES

Cube Grigio

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
360°
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

Cube Cremoso | Size :
600x
600mm



CASAYARD COLLECTION – CUBE PUNCH


HOUSE OF FULL BODY
VITRIFIED TILES

Cube Cremoso

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
360°
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

Cube Coal | Size :
600x
600mm



HOUSE OF FULL BODY
VITRIFIED TILES

Cube Coal

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
360°
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

Cube Kota | Size :
600x
600mm



CASAYARD COLLECTION - CUBE PUNCH


HOUSE OF FULL BODY
VITRIFIED TILES

Cube Kota

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL





“CASAYARD”
Present

ROCK PUNCH

The Rock Punch seeks inspiration from the serene ambience and beautiful hues found in a garden. Inspired by the pebbled walkway and varied shades of rocks, this collection offers Six Colors in single surfaces




Protect
ANTIBATTERICO - ANTIMICROBIAL
S U R F A C E

HOUSE OF FULL BODY
VITRIFIED TILES

6 | 1 | 1 | 1
Colours | Surface | Texture | Size

600x
600mm




Rock Kota



Rock Metallo



Rock Gesso



Rock Grigio




Rock Coal



Rock Cremoso

INDEX	CUBE	ROCK	BLAST	TECH. DATA
-------	------	------	-------	------------



ROCK
PUNCH

Rock Kota | Size :
600x
600mm



ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Kota

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
360°
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

ROCK
PUNCH

Rock Grigio | Size:
600x
600mm





ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Grigio

Category

Basic

Surface

Protect

Thickness

9mm approx*

CLICK HERE



For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA

INDEX

CUBE

ROCK

BLAST

TECH. DATA



ROCK
PUNCH

Rock Gesso | Size :
600x
600mm



ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Gesso

Category

Super Plus

Surface

Protect

Thickness

9mm approx*

CLICK HERE



For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



ROCK
PUNCH

Rock Metallo | Size :
600x
600mm



ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Metallo

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA



ROCK
PUNCH

Rock Coal | Size:
600x
600mm



ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Coal

Category	Surface	Thickness
Super Plus	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



ROCK
PUNCH

Rock Cremoso | Size :
600x
600mm



ROCK
PUNCH

CASAYARD COLLECTION - ROCK PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Rock Cremoso

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
360°
VISUAL





“CASAYARD”
Present

BLAST PUNCH

The many colours of desert emote beauty in their own unique ways through their appearance which is incorporated into the surfaces of the Blast Punch Collection. These incredible surfaces express the nuances of desert through their eight shades, in single textures and sizes of 600x600mm.



HOUSE OF FULL BODY
VITRIFIED TILES

7 | 2 | 1 | 1
Colours | Surface | Texture | Size



INDEX

CUBE


ROCK

BLAST

TECH. DATA



Blast sahara



Blast beige



Blast granite



Blast coal



Blast cemento



Blast tobacco



Blast bronze

INDEX	CUBE	ROCK	BLAST	TECH. DATA
-------	------	------	-------	------------



INDEX

CUBE

ROCK

BLAST

TECH. DATA

BLAST
PUNCH

Blast Sahara | Size :
600x
600mm



BLAST
PUNCH

CASAYARD COLLECTION - BLAST PUNCH


HOUSE OF FULL BODY
VITRIFIED TILES

Blast Sahara

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

BLAST
PUNCH

Blast Beige | Size :
600x
600mm


Protect
ANTIBATTERICO - ANTIMICROBIAL
SURFACE




HOUSE OF FULL BODY
VITRIFIED TILES


Blast Beige

Category	Surface	Thickness
Basic	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL





INDEX

CUBE

ROCK

BLAST

TECH. DATA

BLAST
PUNCH

Blast Granite | Size:
600x
600mm





BLAST
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Blast Granite

Category

Basic

Surface

Protect

Thickness

9mm approx*

CLICK HERE



For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



BLAST
PUNCH

Blast Coal | Size:
600x
600mm



CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Blast Coal

Category	Surface	Thickness
Super Plus	Protect	9mm approx*

CLICK HERE 

For
(360°)
VISUAL



INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA



BLAST
PUNCH

Blast Cemento | Size :
600x
600mm



BLAST
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Blast Cemento

Category

Basic

Surface

Protect

Thickness

9mm approx*

CLICK HERE 

For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



INDEX

CUBE

ROCK

BLAST

TECH. DATA

BLAST
PUNCH

Blast Tobacco | Size:
600x
600mm





BLAST
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Blast Tobacco


Category
Plus

Surface
Protect

Thickness
9mm approx*

[CLICK HERE](#) 

For
(360°)
VISUAL



600x
600mm

INDEX

CUBE

ROCK

BLAST

TECH. DATA



BLAST
PUNCH

Blast Bronze | Size:
600x
600mm





BLAST
PUNCH

CASAYARD COLLECTION - BLAST PUNCH

HOUSE OF FULL BODY
VITRIFIED TILES

Blast Bronze

Category

Super Plus

Surface

Protect

Thickness

9mm approx*

CLICK HERE



For
(360°)
VISUAL



600x
600mm


INDEX

CUBE

ROCK

BLAST

TECH. DATA



Certification

Focus on Quality

Sustainable Model

The Right Choice

Technical Specification

Tile Cleaning

Installation System

Casa All Collection

OUR NAME STANDS FOR TECHNICAL AND AESTHETIC EXCELLENCE.



Around the world, we proudly promote materials that best express that Made in India aesthetic, style and technical excellence.

On the international market, our name is synonymous with Full body tiles technical porcelain stoneware that offers extremely high technical and aesthetic performance. We transform top quality raw materials into ceramic projects able to interpret the many requirements of a continuously evolving world.

TILES OF INDIA

Tiles of India is the certified brand of origin which exclusively marks all products fully manufactured in India representing the decades old value system of the Indian Ceramic Industry. We support all those values promoted by the Indian Ceramics code of ethics, from 100% Indian production to social and environmental responsibility.



100% ISO 9001 : 2015 certification is internationally recognised and represents a guarantee of the excellence and quality of the management system. CASA TILES decided of its own accord to undertake this important process, adopting a set of rules, responsibilities and checks to improve the efficiency of processes and customer satisfaction, to boost its competitiveness and maintain compliance with the highest quality standards.



SAFETY SYSTEM MANAGEMENT

The health and wellbeing of employees are crucial priorities for CASA TILES. The attainment of ISO 45001 certification strengthens a business culture that sees safety not simply as a question of regulatory compliance, but as an essential part of working processes. Regulation is a necessary tool for generating a new model of sustainable competitiveness that can improve company performance across the board.

ECO-SUSTAINABLE DEVELOPMENT



ENVIRONMENTAL MANAGEMENT

CASA TILES conforms with the environmental regulations envisaged by the ISO 14001 certification. This certification measures and controls the reduced environmental impact of production sites, through an environmental management system based on strict parameters.

CASA TILES CONTRIBUTES TOWARDS ENERGY EFFICIENCY THROUGH:

- 100% recycling of waters used
- 100% recycling of unfired and fired waste
- 100% recycling of packaging and pallets
- 60% recycling of waste.

LOW ATMOSPHERIC GAS EMISSIONS

- 100% Water Consumption Savings
- 100% Recycling of Unfired Waste
- 100% Recycling of Fired Waste
- 100% Recycled Packaging
- 70% Recycling of Industrial Waste
- Noise Pollution Monitoring
- 100% Recycled Pallets



LOW ATMOSPHERIC GAS EMISSIONS



100% WATER CONSUMPTION SAVINGS



100% RECYCLING OF UNFIRED WASTE



100% RECYCLING FIRED WASTE



100% RECYCLED PACKAGING



90% RECYCLING OF INDUSTRIAL WASTE



NOISE POLLUTION MONITORING



100% RECYCLED PALLETS



IMC is a voluntary certification system, for the design, construction and management of high performance sustainable buildings; it promotes an integrated design system that concerns the whole building. It is developed by the U.S. INTERNATIONAL MANAGEMENT COUNCIL (USIMC), an association which provides a global approach to sustainability, providing recognition for virtuous performance levels in key areas of human and environmental health. The system is based on rating credits for each of the requisites featuring the sustainability of the building. The sum of the credits composes the certification level achieved.

Casa Focus on quality

Quality assurance procedures

Superior physical and chemical characteristics – together with beautiful aesthetics – are the distinguishing feature of Casabella Collection as of Casa Tiles.

To achieve the highest quality standards Casa exploits decades of experience in ceramic clay and minerals to devotes significant resources to continuous improvement.

Casa plant in India is designed by an Italian executive and an Indian company – exploits the latest Italian machinery to manufacture high-quality tiles.

The plant has a semi-high degree of automation, as required to consistently achieve the high levels of quality demanded by sophisticated customers in India and internationally.

According to the best practice, quality standards refer to the norms included in ISO and all tests are carried out by renowned laboratories in India, accredited according to international norms.

At Casa plant, we run tests on all raw materials, semi-finished goods and end products through the whole production process under coordination of the Quality Assurance Department.

To get the best possible result, the company has devised an integrated set of rules, named Casa - Tiles Reinforcement System for quality assurance procedures (TRS), to control all aspects of tiles manufacturing, that determine the physical and chemical characteristics of products.

TRS include measurement processes, benchmark values and operating procedures for:

- Chemical characteristics of raw materials, asking for every single shipment is tested before the raw material enters into production process.
- Intrinsic physical properties of tiles, such as caliber and dimensions, orthogonality, planarity, water absorption and breaking strength.
- Usage-related properties of products, such as resistance to scratch and abrasion, thermal shock resistance, resistance to acid, stains, household chemicals and slippery.



Chemical characteristics of raw materials




Intrinsic physical properties of tiles



Usage-related properties of products

OUR SUSTAINABILITY MODEL



100% Natural Gas Consumption




Maximum Recycling of Unfired Waste



Maximum Use of Natural Resources



100% Recycled Packaging



100% Recycled Pallets



OUR “GREEN EFFORT”

Using only recycled paper and reduction of inks used to help our mother nature. It might be small, but it’s the little effort that counts.

Full Body Tiles – the right choice



Ease of Installation

Simple to cut and drill

The particular composition of the mass facilitates cutting, drilling and bevelling operations.

Quick to install

Lightness and ease of cutting, drilling and bevelling reduce installation times and costs.



Hygiene

Hygienic

They're hygienic and prevent the proliferation of mold and bacteria.

Easy to clean

Full body tiles can be cleaned with just warm water or mild detergent.

Stain resistant

Full body tiles do not retain dirt or stain.

Resistant to chemical agents and detergents

Full body tiles resist the most aggressive detergents.

Full Body Tiles – the right choice



Practicality

Waterproof

The surface of full body tiles is waterproof.

Don't change when exposed to light

Full body tiles don't fade or change color when exposed to light.

Long

Resistance, ease of cleaning and permanent colors means that there's practically no limit to the tiles' durability.



Health And Safety

Prevent bacteria growth

Full body tiles don't foster the growth of molds or bacteria.

Don't release toxic substance

No release of allergens, VOCs or other harmful substances into the environment.

Zero

Full body tiles contain no PVC, plastics, or petroleum derivatives.

Safe

Non-flammable, don't release harmful substances, unalterable over time.

Non-deformable Fireproof

Even when exposed to light, Full body tiles are humidity, and heat they maintain non-flammable and do not burn. Their original appearance and flatness over time.

TECHNICAL SPECIFICATION

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP BIa	MEAN VALUE OF CASA FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.05%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm3	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance (Friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

PACKING DETAILS

Casayard	Size	Pieces / Box	Weight/Box (approx)	Coverage Area / Box
Cube Punch	600x600mm	4 Pieces	28.00kg	15.5 ft² or 1.44 mtr²
Rock Punch	600x600mm	4 Pieces	28.00kg	15.5 ft² or 1.44 mtr²
Blast Punch	600x600mm	4 Pieces	28.00kg	15.5 ft² or 1.44 mtr²

Disclaimer

Casa reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colours of tiles shown in this catalogue are purely illustrative to printing process. Please refer actual sample before final selection. The details of sizes, colours and references should be verified for typographical errors.

CLEANING & MAINTENANCE

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For highly aggressive cleaning caused by some common food and substances follow the table below.



Casagres Tiles India

Sartanpar Road,
Opposite 166 Kva Substation,
Morbi – 363 621, Gujarat, India

casa@fullbodytiles.com
fullbodytiles.com